


\*Lumen values detected with integrating sphere

### BOOST Mode - Min. Zoom (17° 10% - 8° 50%)

**Total Output: 2150 lumens**

lux (fc)    0            18494 (1718)            4623 (430)            2055 (191)            1156 (107)




Distance	m (ft in)	0	2 (6' 7")	4 (13' 1")	6 (19' 8")	8 (26' 3")
Diameter 10%	m (ft in)	0	0.56 (1' 10")	1.11 (3' 8")	1.67 (5' 6")	2.22 (7' 4")
Diameter 50%	m (ft in)	0	0.27 (0' 11")	0.54 (1' 9")	0.82 (2' 8")	1.09 (3' 7")

### REGULATED Mode - Min. Zoom (17° 10% - 8° 50%)

**Total Output: 2030 lumens**

lux (fc)    0            17356 (1612)            4339 (403)            1928 (179)            1085 (101)



Distance	m (ft in)	0	2 (6' 7")	4 (13' 1")	6 (19' 8")	8 (26' 3")
Diameter 10%	m (ft in)	0	0.56 (1' 10")	1.11 (3' 8")	1.67 (5' 6")	2.22 (7' 4")
Diameter 50%	m (ft in)	0	0.27 (0' 11")	0.54 (1' 9")	0.82 (2' 8")	1.09 (3' 7")

# Lexpert Fresnel M


## 5600K

Photometrics

### SILENT Mode - Min. Zoom (17° 10% - 8° 50%)

**Total Output: 1950 lumens**

lux (fc)    0            16694 (1551)            4173 (388)            1855 (172)            1043 (97)




Distance	m (ft in)	0	2 (6' 7")	4 (13' 1")	6 (19' 8")	8 (26' 3")
Diameter 10% m	(ft in)	0	0.56 (1' 10")	1.11 (3' 8")	1.67 (5' 6")	2.22 (7' 4")
Diameter 50% m	(ft in)	0	0.27 (0' 11")	0.54 (1' 9")	0.82 (2' 8")	1.09 (3' 7")

### BOOST Mode - Max. Zoom (91° 10% - 80° 50%)

**Total Output: 8440 lumens**

lux (fc)    0            1207 (112)            302 (28)            134 (12)            75 (7)




Distance	m (ft in)	0	2 (6' 7")	4 (13' 1")	6 (19' 8")	8 (26' 3")
Diameter 10% m	(ft in)	0	4.18 (13' 9")	8.36 (27' 5")	12.54 (41' 2")	16.72 (54' 10")
Diameter 50% m	(ft in)	0	2.62 (8' 7")	5.24 (17' 2")	7.86 (25' 9")	10.48 (34' 5")

### REGULATED Mode - Max. Zoom (91° 10% - 80° 50%)

**Total Output: 7990 lumens**

lux (fc)      0                      1139 (106)                      285 (26)                      127 (12)                      71 (7)




Distance	m (ft in)	0	2 (6' 7")	4 (13' 1")	6 (19' 8")	8 (26' 3")
Diameter 10% m (ft in)		0	4.18 (13' 9")	8.36 (27' 5")	12.54 (41' 2")	16.72 (54' 10")
Diameter 50% m (ft in)		0	2.62 (8' 7")	5.24 (17' 2")	7.86 (25' 9")	10.48 (34' 5")

### SILENT Mode - Max. Zoom (91° 10% - 80° 50%)

**Total Output: 7540 lumens**

lux (fc)      0                      1075 (100)                      269 (25)                      119 (11)                      67 (6)



Distance	m (ft in)	0	2 (6' 7")	4 (13' 1")	6 (19' 8")	8 (26' 3")
Diameter 10% m (ft in)		0	4.18 (13' 9")	8.36 (27' 5")	12.54 (41' 2")	16.72 (54' 10")
Diameter 50% m (ft in)		0	2.62 (8' 7")	5.24 (17' 2")	7.86 (25' 9")	10.48 (34' 5")